1

# CWU Table Item #: 0100 ( 1 column )

### TABLE I

	DESCRIPTION
BASE COMMANDS	
RD_PHONE_NUMBER	Read the telephone's phone
RD_PHONE_CALLS	number Read the telephone's call data activity storage
RD_PHONE_TIME	Read the current time from the phone
WR_PHONE_TIME	Set the current time from the phone
RD_PHONE_RTB	Read the phone's software revision number
LOCK_PHONE	Lock the phone from use
UNLOCK_PHONE	Unlock phone for use
RD_CALL_COUNTER.	Read the number of calls made
RD_COMMAND_STATUS	during the period Read status of last command
RESET_CALLS_MEMORY	issued Reset/erase the call activity
DESET CALLS COLDITED	storage data
RESET_CALLS_COUNTER RESTRICT_ILLEGAL_CALLS	Reset the call counter to 0 Restrict all illegal calls
ENABLE_ALL_CALLS	Deactivate the call restriction
RD_TELEPHONE_ESN	Read the phone's electronic serial number
WRNAM	Write NAM parameters to the phone
RD_NAM	Read the current NAM parameters from the phone
WR_SCRATCH_PAD	Store a small amount of data in the phone
RD_SCRATCH_PAD	Read the small amount of data from the phone
WR_LOCK_DATE	The date at which the phone will no longer function
RD_LOCK_DATE	Read the lock data from the phone
REGISTRATION	System provider registers itself for use with the phone.
DEBIT COMMANDS	(Password is transmitted)
WR_CONF_DATA	Write debit configuration data to
RD_CONF_DATA	the phone Read the configuration data from
WR_DOLLAR_AMOUNT	the phone Write the maximum dollar amount the phone can be used
RD_DOLLAR_AMOUNT	Read the maximum dollar
DO_CALL_TRACKING	amount from the phone Turn on call tracking
NO_CALL_TRACKING	Turn off call tracking
DO_DEBIT_MODE	Turn on debit mode billing
NO_DEBIT_MODE	Turn off debit mode billing
ENABLE_AIR_ACTIVATION	Turn on over the air debit
DISABLE_AIR_ACTIVATION	activation of funds Turn off over the air debit
OTHER RESPONSES	activation of funds
ACK NAK	Acknowledgment Could not understand HOST/PP
OTHER INTERACTIVE COMMANDS	or Invalid LRC
USING THE PHONE KEY BOARD	_
UPDATE_DEBIT_DATA1	Update, over the air, the current additional dollar amount and date of expiration referencing the Telephone
VIEW_CURRENT_AMOUNT	License Number View the current dollar amount
UPDATE_DEBIT_DATA2	left for debit  If for some reason the "over the
	air" updating of the debit data

## TABLE I-continued DESCRIPTION cannot be successfully completed, the user can be given a license number to manually type in using the keypad via this function +T1 TABLE I+HZ,1/32 !+HL,18 DESCRIPTION+HZ,1/32 ? !+TL,1 +UZ,1/10 BASE COMMANDS? +TL,18 ?

!RD+HD +13 +L PHONE+HD +13 +L NUMBER? Read the telephone+3 s phone?

!? number?

!RD+HD +13 +L PHONE+HD +13 +L CALLS? Read the telephone+3 s call data?

!? activity storage?

!RD+HD +13 +L PHONE+HD +13 +L TIME? Read the current time from the?

!? phone?

!WR+HD +13 +L PHONE+HD +13 +L TIME? Set the current time from the?

!? phone?

!RD+HD +13 +L PHONE+HD +13 +L RTB? Read the phone+3 s software?

!? revision number?

!LOCK+HD +13 +L PHONE? Lock the phone from use?

!UNLOCK+HD +13 +L PHONE? Unlock phone for use?

!RD+HD +13 +L CALL+HD +13 +L COUNTER.? Read the number of calls made?

!? during the period?

!RD+HD +13 +L COMMAND+HD +13 +L STATUS? Read status of last command?

!? issued?

!RESET+HD +13 +L CALLS+HD +13 +L MEMORY? Reset/erase the call activity?

!? storage data?

!RESET+HD +13 +L CALLS+HD +13 +L COUNTER? Reset the call counter to 0?

!RESTRICT+HD +13 +L ILLEGAL+HD +13 +L CALLS? Restrict all illegal calls?

!ENABLE+HD +13 +L ALL+HD +13 +L CALLS? Deactivate the call restriction?

!RD+HD +13 +L TELEPHONE+HD +13 +L ESN? Read the phone+3 s electronic?

!? serial number?

!WR+HD +13 +L NAM? Write NAM parameters to the?

!? phone?

!RD+HD +13 +L NAM? Read the current NAM?

!? parameters from the phone?

!WR+HD +13 +L SCRATCH+HD +13 +L PAD? Store a small amount of data in?

!? the phone?

!RD+HD +13 +L SCRATCH+HD +13 +L PAD? Read the small amount of data?

```
DA: data55 — MD: 8/11/2003 — N: 5,815,611 — F: 03 — 8/21/2003 - 3:20:47 PM
!? from the phone?
!WR+HD +13 +L LOCK+HD +13 +L DATE? The date at which the phone will?
!? no longer function?
!RD+HD +13 +L LOCK+HD +13 +L DATE? Read the lock data from the?
!? phone?
!REGISTRATION? System provider registers itself?
!? for use with the phone.?
!? (Password is transmitted)?
!+UZ,1/11 DEBIT COMMANDS?
!WR+HD +13 +L CONF+HD +13 +L DATA? Write debit configuration data to?
!? the phone?
!RD+HD +13 +L CONF+HD +13 +L DATA? Read the configuration data from?
!? the phone?
!WR+HD +13 +L DOLLAR+HD +13 +L AMOUNT? Write the maximum dollar?
!? amount the phone can be used?
!RD+HD +13 +L DOLLAR+HD +13 +L AMOUNT? Read the maximum dollar?
!? amount from the phone?
!DO+HD +13 +L CALL+HD +13 +L TRACKING? Turn on call tracking?
!NO+HD +13 +L CALL+HD +13 +L TRACKING? Turn off call tracking?
!DO+HD +13 +L DEBIT+HD +13 +L MODE? Turn on debit mode billing?
!NO+HD +13 +L DEBIT+HD +13 +L MODE? Turn off debit mode billing?
!ENABLE+HD +13 +L AIR+HD +13 +L ACTIVATION? Turn on over the air debit?
!? activation of funds?
!DISABLE+HD +13 +L AIR+HD +13 +L ACTIVATION? Turn off over the air debit?
!? activation of funds?
!+UZ,1/11 OTHER RESPONSES?
!ACK? Acknowledgment?
!NAK? Could not understand HOST/PP?
!? or Invalid LRC?
!OTHER INTERACTIVE COMMANDS?
!+UZ,1/18 USING THE PHONE KEY BOARD?
!UPDATE+HD +13 +L DEBIT+HD +13 +L DATA1? Update, over the air, the current?
!? additional dollar amount?
!? and date of expiration?
!? referencing the Telephone?
!? License Number?
!VIEW+HD +13 +L CURRENT+HD +13 +L AMOUNT? View the current dollar amount?
```

!? left for debit?

DA: data55 — MD: 8/11/2003 — N: 5,815,611 — F: 03 — 8/21/2003 - 3:20:47 PM

4
!UPDATE+HD +13 +L DEBIT+HD +13 +L DATA2? If for some reason the +37 over the?
!? air+38 +0 updating of the debit data?
!? cannot be successfully?
!? completed, the user can be?
!? given a license number to?
!? manually type in using the?
!? keypad via this function+TZ,1/32 ?
!+PS

Item character count = 2547

## CWU Table Item #: 0120 ( 1 column )

#### **TABLE II**

Acronym	Description
HOST	A systems operator's Personal Computer will be considered the host
PP	The phone unit will be considered the host Phone Peripheral
DB	A Data Byte
CB	A Command Byte
CTI	A Cellular Telephone Interference
ACK	An Acknowledgment from the phone unit
NAK	The PP or HOST did not understand the last set of data retrieved
BCD	Binary Coded Decimal

```
+T1 TABLE II+HZ,1/32
!+HL,4 Acronym? +HL,11 Description+HZ,1/32 ?
!+TL,4 HOST? +TL,11 A systems operator+3 s Personal Computer?
!? will be considered the host?
!PP? The phone unit will be considered the host?
!? Phone Peripheral?
!DB? A Data Byte?
!CB? A Command Byte?
!CTI? A Cellular Telephone Interference?
!ACK? An Acknowledgment from the phone unit?
!NAK? The PP or HOST did not understand the?
!? last set of data retrieved?
!BCD? Binary Coded Decimal+TZ,1/32 ?
!+PS
```

# CWU Table Item #: 0230 ( 1 column )

#### TABLE III

Acronyms			
BIT BYTE	1 bit of data 8 bits of unsigned type	(Used as a flag) (Like an unsigned char in C language	
INT	16 bits of unsigned type	(Like an unsigned short int in C language)	
BYTE[#]	Is a # of Bytes	(Like a storage buffer)	
DECIMAL	Up to 32 bits	(Like a float in C/just a decimal number	
RECORD	A collection of the above types		

+T1 TABLE III+HZ,1/32

!+HL,1 Acronyms+HZ,1/32 ?

!+TL,1 BIT? +TL,8 1 bit of data? +TL,20 (Used as a flag)?

!BYTE? 8 bits of unsigned type? (Like an unsigned char in C?

!? ? language?

!INT? 16 bits of unsigned type? (Like an unsigned short int?

!? ? in C language)?

!BYTE+8 +190 +9 ? Is a +190 +0 of Bytes? (Like a storage buffer)?

!DECIMAL? Up to 32 bits? (Like a float in C/just a?

!? ? decimal number?

!RECORD? A collection of the above?

!? types+TZ,1/32 ?

!+PS

Item character count = 369

## CWU Table Item #: 0231 ( 1 column )

#### **TABLE IV**

	<del></del>
	figuration data {
//This data will t	ell the phone how to bill calls in any country in the world
BYTE	Maximum International Digits
BYTE	Minimum International Digits
BYTE	Maximum Long Distant Digits
BYTE	Minimum Long Distant Digits
BYTE	Maximum Local Digits
BYTE	Minimum Local Digits
BYTE[7]	International Access Code
BYTE[7]	Long Distance Access Code
BYTE	Is long distance access code
	always required?
BYTE[7]	Third party prefix/Operator/
	Calling
	Card Digits
//Locator Inform	ation
INT[5]	5 Home SIDs of the phone (Provides
	seamless roaming etc)
INT[5]	5 Home area codes of the phone
	(Provides computability in
	congested areas)

## TABLE IV-continued

!DECIMAL? Base access per minute charge?

```
//Rate Information
                 Base access per minute charge
DECIMAL
                 (Applies to all calls)
                 Additional long distance per
DECIMAL
                 minute charges
DECIMAL
                 Additional International per
                 minute charges
DECIMAL
                 Additional roaming per day charges
DECIMAL
                 Additional roaming per minute
                 charges
DECIMAL
                 Additional operator assistance
                 charges, calling card or third
                 party billing, or call surcharge
                 for call content
//Other Information
BYTE
                 Base billing delay
BYTE[3]
                 By YYMMDD date, the phone will lock and
                 display "DATE-LOCKED"
BYTE[7]
                 Non-billed area code (Expanded to handle 7 digit
                 long distance for third world)
                 YYMMDD is the last date this phone was
BYTE[3]
                 roaming on
                 A block of 5 non-billed phone numbers to call
BYTE[5][11]
                 (i.e., 911 and any other user defined)
A block of 20 random numbers [1000,9999] if
INT[20]
                 value for license number decoding)
+T1 TABLE IV+HZ,1/32
!+TL,1 RECORD of configuration data +55 ?
!//This data will tell the phone how to bill calls in any country in the world?
!+TL,1 BYTE? +TL,11 Maximum International Digits?
!BYTE? Minimum International Digits?
!BYTE? Maximum Long Distant Digits?
!BYTE? Minimum Long Distant Digits?
!BYTE? Maximum Local Digits?
!BYTE? Minimum Local Digits?
!BYTE+8 7+9 ? International Access Code?
!BYTE+8 7+9 ? Long Distance Access Code?
!BYTE? Is long distance access code?
!? always required+48 ?
!BYTE+8 7+9 ? Third party prefix/Operator/?
!? Calling?
!? Card Digits?
!//Locator Information?
!INT+8 5+9 ? 5 Home SIDs of the phone (Provides?
!? seamless roaming etc...)?
!INT+8 5+9 ? 5 Home area codes of the phone?
!? (Provides computability in?
!? congested areas)?
!//Rate Information?
```

```
DA: data55 — MD: 8/11/2003 — N: 5,815,611 — F: 03 — 8/21/2003 - 3:20:47 PM
!? (Applies to all calls)?
!DECIMAL? Additional long distance per?
!? minute charges?
!DECIMAL? Additional International per?
!? minute charges?
!DECIMAL? Additional roaming per day charges?
!DECIMAL? Additional roaming per minute?
!? charges?
!DECIMAL? Additional operator assistance?
!? charges, calling card or third?
!? party billing, or call surcharge?
!? for call content?
!//Other Information?
!BYTE? Base billing delay?
!BYTE+8 3+9 ? By YYMMDD date, the phone will lock and?
!? display +37 DATE-LOCKED+38 ?
!BYTE+8 7+9 ? Non-billed area code (Expanded to handle 7 digit?
!? long distance for third world)?
!BYTE+8 3+9 ? YYMMDD is the last date this phone was?
!? roaming on?
!BYTE+8 5+9 +8 11+9 ? A block of 5 non-billed phone numbers to call?
!? (i.e., 911 and any other user defined)?
!INT+8 20+9 ? A block of 20 random numbers +8 1000,9999+9 +0 if?
!? value for license number decoding)+TZ,1/32 ?
!+PS
```

### Item character count = 1560

### CWU Table Item #: 0280 (1 column)

```
M
                           = Number of minutes the call lasted
                           = Local Call Per Minute Charge
LD
                           = Long Distance Per Minute Charge
IT
                           = International Per Minute Charge
ŔD
                           = Roaming Per Day Charge
RM
                           = Roaming Per Minute Charge
Local
                            = M * L
                           = M • (L + LD)
= M • (L + IT)
Long Distance
International
Incoming Call
                           = M * (L +RM) + RD (If RD has not been
Local Roaming Call
                             applied today)
Long Distance Roaming
                           = M * (L + RM + LD) + RD (If RD has not
```

#### -continued

International Roaming been applied today) = M \* (L + RM + IT) + RD (If RD has not been applied today)

+T1 + HZ, 1/32

!+TL,1 M? +TL,13 +32 +0 Number of minutes the call lasted?

!L? +32 +0 Local Call Per Minute Charge?

!LD? +32 +0 Long Distance Per Minute Charge?

!IT? +32 +0 International Per Minute Charge?

!RD? +32 +0 Roaming Per Day Charge?

!RM? +32 +0 Roaming Per Minute Charge?

!Local? +32 +0 M \* L?

!Long Distance? +32 +0 M \* (L +30 +0 LD)?

!International? +32 +0 M \* (L +30 +0 IT)?

!Incoming Call? +32 +0 M \* L?

!Local Roaming Call? +32 +0 M \* (L +30 RM) +30 +0 RD (If RD has not been?

!? +12 +12 +0 applied today)?

!Long Distance Roaming? +32 +0 M \* (L +30 +0 RM +30 +0 LD) +30 +0 RD (If RD has not?

!? +12 +12 +0 been applied today)?

!International Roaming? +32 +0 M \* (L +30 +0 RM +30 +0 IT) +30 +0 RD (If RD has not?

!? +12 +12 +0 been applied today)+TZ,1/32 ?

!+PS

Item character count = 570

Folder character count = 5441